

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	745	"GPS" and ((stor\$3 or cach\$3) with ((user near2 location) or (personal near5 location\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:48
L2	157	"GPS" same ((stor\$3 or cach\$3) with ((user near2 location) or (personal near5 location\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:22
L3	170	"GPS" same (stor\$3 or cach\$3) same ((user near2 location) or (personal near5 location\$1)) same (server\$1 or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:58
L4	1	3 and "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:24
L5	30	3 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:58
L6	0	5 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:49
L7	584	"GPS" and ((stor\$3 or cach\$3) same ((user near2 location) or (personal near5 location\$1)) same (server\$1 or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:59
L8	95	7 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:59
L9	0	"GPS" and (transmit\$5 with ((user or personal) near5 location\$1)) and (reciev\$3 with personal with location\$1) and ((stor\$3 or cach\$3) same ((user near2 location) or (personal near5 location\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:14

L10	0	"GPS" and (transmit\$5 with ((user or personal) near5 location\$1)) and (reciev\$3 with personal with location\$1) and ((stor\$3 or cach\$3) wti\$3 with ((user near2 location) or (personal near5 location\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:07
L11	251	"GPS" same (transmit\$5 with mobile with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:12
L12	1066	"GPS" same ((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:16
L13	1404	"GPS" and ((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer\$1))) and ((stor\$3 or polulat\$3) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:19
L14	396	"GPS" and (((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer\$1))) same ((stor\$3 or polulat\$3) with server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:25
L15	87	14 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:20
L16	80	15 and ((mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:28
L17	0	16 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:27
L18	80	16 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:27
L19	2526	"GPS" and ((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:05

L20	1418	19 and ((stor\$3 or populat\$3) with (mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:06
L21	739	"GPS" and (((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest")))) same ((stor\$3 or populat\$3) with (mobile or wireless or (personal near2 computer)) with (location or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:41
L22	146	21 and "701"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:41
L23	146	22 and ap@<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:42
L24	146	22 and ap@>"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:43
L25	0	22 and @ap>"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:43
L26	0	22 and @ap>"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:43
L27	3	22 and @pd<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:47
L28	19	22 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:21

L29	15745	((request\$3 or retriev\$3) with (mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:21
L30	4743	29 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:22
L31	110	29 and @ad<"19991017" and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:22
L32	19	29 and @ad<"19991017" and "707"/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:07
L33	339	19 and (server\$1 with (stor\$3 or populat\$3) with (mobile or wireless or (personal near2 computer)) with (location\$1 or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:33
L34	27	33 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:34
L35	736	19 and (server\$1 with (stor\$3 or populat\$3) with (location\$1 or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:35
L36	51	35 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:36
L37	479	19 and ((server\$1 near3 (stor\$3 or populat\$3)) with (location\$1 or information or ("POI" or "point of interest"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:35
L38	36	37 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22631	(search\$3 or retriev\$3 or request\$3 or quer\$3) same ((user near2 profile\$1) or profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:29
L2	389	1 and ((standard\$3 or pre-detemrined) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:29
L3	22	1 and ((standard\$3 or pre-detemrined) near2 profile\$1) and (cop\$3 near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:29
L4	37826	(search\$3 or retriev\$3 or request\$3 or quer\$3 or filter\$3) same ((user near2 profile\$1) or profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:30
L5	503	4 and ((standard\$3 or pre-detemrined) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:29
L6	22	3 and ((standard\$3 or pre-detemrined) near2 profile\$1) and (cop\$3 near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:29
L7	309	(search\$3 or retriev\$3 or request\$3 or quer\$3 or filter\$3) same ((user near2 profile\$1) or profile\$1) same ((standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:34
L8	10	7 and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:32
L9	12	7 and ((geographical near2 location\$1) or ("POI" or "point of interest") or vicinity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:37
L10	728	(search\$3 or access\$3) with ((geographical near2 location\$1) or ("POI" or "point of interest") or vicinity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:38

L11	12	((search\$3 or access\$3) with ((geographical near2 location\$1) or ("POI" or "point of interest") or vicinity)) same ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:40
L12	0	((search\$3 or access\$3) near3 database\$1) same (("POI" or "point of interest") or vicinity) same ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:41
L13	0	((search\$3 or access\$3) with database\$1) same (("POI" or "point of interest") or vicinity) same ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:41
L14	0	((search\$3 or access\$3) with database\$1) same (("POI" or "point of interest") or vicinity) same ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:42
L15	0	(search\$3 or access\$3) same (("POI" or "point of interest") or vicinity) same ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:43
L16	4156	(search\$3 or request\$3 or retriev\$3 or quer\$3) with ((user or standard\$3 or cop\$3) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:48
L17	7	16 and ((geographic near2 database\$1) or (("POI" or "point of interest") or vicinity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:45
L18	40	16 and ((geographic near2 database\$1) or (("POI" or "point of interest") or vicinity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:47
L19	6	18 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:45
L20	3	18 and @ad<"19991018"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:46

L21	1039	(search\$3 with ((user or standard\$3 or cop\$3) near2 profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:47
L22	14	21 and ((geographic near2 database\$1) or (("POI" or "point of interest") or vicinity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:51
L23	6	((search\$3 or request\$3 or retriev\$3 or quer\$3) with ((user or standard\$3 or cop\$3) near2 profile\$1)) and (geographic near2 database\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:50
L24	229	((search\$3 or request\$3 or retriev\$3 or quer\$3) with ((user or standard\$3 or cop\$3) near2 profile\$1)) and 707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:50
L25	69	24 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:55
L26	69	25 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:52
L27	0	26 and ("POI" or "point of interest")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:52
L28	0	24 and ("POI" or "point of interest")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:52
L29	177	24 and (("POI" or "point of interest") or location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:52
L30	56	29 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:52

L31	56	30 and "707"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 18:53
-----	----	----------------------	---	----	-----	------------------